Index

/

/bin/ksh, 45
/bin/mail, 16
/bin, 16
/dev/null, 46
/etc/rc, 4, 18, 52
/usr/bin, 16
/usr/lib/news, 2, 3, 15, 19, 29
/usr/lib/newsbin, 3, 15, 19, 29
/usr/spool/news, 1, 2, 3, 15, 19, 29
/usr/ucb, 16

3

3b1, 40
3b2, 41

4

4BSD:
  insanity, 16

=

= active flag, 30

A

A News, 29
A sys flag, 29
ACSnet, 1
active flag:
  =, 30
  x, 30
active.big.c, 46
active.old, **23**
active.times, **23**
active, 2, **3**, **23**, 30, 32, 46, 51
  third field, 18
addgroup, 4
again.root, 4
aliases, 30, 32
Also-Control, 38
anne.jones, 44
ANSI C, 41, 43, 44
artfile, **50**
article:
  archiving, 18
  removal, 18
authentication, 38
authors, 1, 29
awf text formatter, 32
awk, 16, 40, 42, 43
  line length limits, 43
  new, 16

B

B 2.11 News, 2
B 3.0 News, 2
B configuration:
  BATCH, 33
  DEADTIME, 33
  DFLTEXP, 32
  DFTXMIT, 32
  DOXREFS, 33
  HISTEXP, 32
  MANUALLY, 32
  MMDF, 33
  NONEWGROUPS, 32
  NOTIFY, 32
  OLD, 33
  SENDMAIL, 33
  summary table, 33
  UUPROG, 32
  UXMIT, 32
B News 2.10.1, 29
B News 2.11, 29
B News files:
  missing, 30
B News to C News transition, 29
bash, 45
batch files, 30
batch, 2
batcher, **2**, 45
batchlog.o*, **23**
batchlog, **23**
batchparms, 17, **23**, 30, 31, 32, 36
bibliography, 26
binfile, **50**
BITNET, 1
books:
  bibliography, 26
  Managing UUCP and Usenet, 26
  Managing uucp and Usenet, 32
botched libraries, 47
breakage:
  wait, 40
broken compilers, 45, 46
broken file systems, 46
broken kernel, 47
build, 4, 32

C

C News files:
  new, 30
C News, **2**
  history, 29
cancel propagation, 37
cancel validation, 37
canonsys.awk, 43
cd, **50**
checkgroups control message, 31
checkgroups, 23, 24, 28, 43
CMDPFX, 32
CMDSFX, 32
cmsg, 37
comments:
  sys, 30
common problems, 27
comp.sources.unix, 2, 16, 32
complain, **50**
compress, 16, 45
config.h, 21, **51**
config, 4, 21, 27, 29, 30
configuration, 20, 50
  library, 20
  shell scripts, 21
  variables, 20
control messages implementation, 49
control messages:
  cancel, 37, 49
  checkgroups, 28, 31, 43
  ihave, 34, 49
  newgroup, 43
  sendme, 34, 49
  sendsys, 43
control, 2
Control, 49
crashes, 18
cron, 14, 17, 18, 28, 45
crontab, 4
cross-posting, 48
cryptography, 38
csh, 15, 44, 45
ctlfile, **50**
cunbatch, **17**, 32, 45

D

Datakit, 1
dbm, 31
dbz, 30, 31, 42, 44, 46, 47
delgroup, 4
dependencies:
  system, 17
df, 42
directories, 3, 15, 19
distributions sys subfield, 30
doexpire, 18
doit.bin, 4
doit.news, 4
doit.root, 4
DON'T PANIC!, 32
duplicate headers, 38

E

egrep, 47
empty lines, 46
errlog.o*, **23**
errlog, **3**, **23**, **25**, 30, 49
errunlock, **50**
Eunice, 43, 48
expire, 2, **18**, 32, 42, 43, 45, 48
  policy, 3
explist, **23**, 30, 32

F

f sys flag, 29
fclsexec, **51**
fgetmfs.h, **51**
fgetmfs, **50**
file descriptors, 44
file formats, 25, 29
files:
  active, 2, **3**, 18, **23**, 30, 32, 46, 51
  active.old, **23**
  active.times, **23**
  aliases, 30, 32
  batch, 30, 50
  batchlog, **23**
  batchlog.o*, **23**
  batchparms, **23**, 30, 31, 32, 36
  bin, **23**
  config, 4, 29
  config.h, **51**
  crontab, 4
  errlog, **3**, **23**, **25**, 30, 49
  errlog.o*, **23**
  explist, **23**, 30, 32
  fgetmfs.h, **51**
  hfake, **51**
  history, **3**, **23**, 30, 32, 49
  history index, 30, 31
  history.dir, **3**, **23**
  history.n, **23**
  history.n.dir, **23**
  history.n.pag, **23**

history.o, **23**
history.pag, **3**, **23**
in.coming, 14
include, 50
key, 3
libc.h, **51**
localgroups, **23**
LOCK, 52
log, **3**, **23**, **25**, 30, 49
log.o*, **23**
mailname, **3**, **23**, 30
mailpaths, **3**, **24**
memlist.h, **51**
moderators, 30
names, 50
news.h, **51**
NEWSCTL, **23**
newsgroups, **24**
newsgroups.bac, **24**
organisation, **3**
organization, **3**, **24**
postdefltdist, **24**
postdefltgroup, **24**
replyusepath, **24**, 30
seq, 30
server, **3**, 17, **24**, 30
setnewsids, 31
stdlib.h, **51**
string.h, **51**
sys, 2, **3**, **24**, 27, 28, 29, 31, 32, 34, 51
timeb.h, **51**
watchtime, **24**
whoami, **3**, **24**, 28, 30
floating point, 42
flow, 14
fopen, 41, 44
fopenexcl, **51**
formats:
file, 29
From, 23
fsync, 46
full feed:
times, 3
fullartfile, **50**
functions:
string, 16

G

getcwd, **51**
gethostname, **51**
GNU C, 43

H

H sys flag, 29
hdrdefs.c, 41
header keywords, 38
header order, 37
header:
duplicates, 38
hfake, **51**
history index files, 30, 31
history.dir, **3**, **23**
history.n.dir, **23**
history.n.pag, **23**
history.n, **23**
history.o, **23**
history.pag, **3**, **23**
history, **3**, 18, **23**, 29, 30, 32, 45, 49, 50
C News, 29
rebuild, 18
hostname, 16, 24

I

I sys flag, 29
ihave/sendme, 29, 30, 31, 34, 38
B News, 36
IHCC, 29
implementation:
control messages, 49
in.coming, 2, 14, 17
inews, 2, **18**, 32, 40, 42, 44, 45
initial news, 5
initializers, 41
input subsystem, 2
input:
network, 17
installation, 4
Internet Hosts Requirements, 26
Internet message format standard, 26
Internet, 1
introduction, 1
ISDN:
doomed, 3

J

junk, 2

K

keywords:
header, 38
ksh, 15, 40

L

ldiv, **50**
libbig, **51**
libbsd42, **51**
libc.h, **51**
libc, **50**
libcnews.a, 32
libcnews, **50**
libfake, **50**
libh, **51**
libraries, 16, 50
libsmall, **51**
libstdio, **50**
libusg, **51**
libv7, **51**
libv8, **51**
link, 52
links, 43
ln, 52
localgroups, **23**
lock, 18, 43, 50
LOCK, 52
lock, 52
  acquiring, 52
  clearing, 52
  names, 52
  news system, 30
  problems, 18
lockdebug, **50**
log.o*, **23**
log, **3**, **23**, **25**, 30, 49
logs, 18, 25
ltoza, 50
ltozan, 50

M

M sys flag, 29
machines:
  386, 42
  3b1, 40
  3b2, 41
  HP, 42
  NeXT, 46
  PDP-11, 43, 51
  small, 43
mail replies, 30
mail, 16, 33
mailname, **3**, **23**, 30
mailpaths, **24**
make, 32, 41
makefile, 4
malloc, 47
Managing UUCP and Usenet, 26
Managing uucp and Usenet, 32
MAXLONG, 42
memlist.h, **51**
memlist, **50**
Message-IDs, 34, 38
migration to C News, 32
mkhistory, 18, 32, 48
moderators, 30
msgidd, 31
multicast, 29

N

N sys flag, 29
n sys flag, 29
nawk, 16
nemalloc, **50**
netnews message format standard, 26
netnews, **1**
network input, 17
network news, **1**
newgroup, 4, 43
News Need Not Be Slow, 26
news readers, 2, 18
  nn, 2, 18
  readnews, 2, 18
  rn, 2, 18
  trn, 2
  vnews, 2
news system lock, 30, 49
news(5), 27
news.admin, 26
news.announce.newusers, 5, 26
news.h, 41, 42, **51**
news.software.b, 26
news, **1**
  feed, 3
  flow, 14
  size, 3
  statistics, 3
NEWSARTS, 2, **3**, **29**
NEWSBIN, **3**, **29**
newsboot, 18, 52
NEWSCONFIG, 22
NEWSCTL, 2, **3**, **23**, **29**
newsdaily, 18
newsgroup matching, 50
newsgroups.bac, **24**
newsgroups, **24**
newshostname, **17**, 24
newslock, **50**, 52
NEWSMASTER, 30, 32
newsmaster, **50**
newspath, **50**
newsrun, 2, 14, **17**

newsrunning, 17, 46
newsspool, 14, **17**
newsumask, **50**
newsunlock, **50**
newswatch, 18
NFS, 2
ngmatch, 50
nn, 2
nnafree, 42
nnfree, 42
NNRP, 2
NNTP, 1, 2, 31, 40
  input, 17
  msgidd, 31
  performance disaster, 34
  Stan Barber, 31
NOPENBFS, 44
notify, 30

O

O sys flag, 29
offsetof, 41
old compilers, 5, 41
organisation, **3**
Organization, 3
organization, **3**
Organization, 24
organization, **24**
out.going, 2, 18
out.master, 2
outside world:
  interface, 15

P

paper:
  News Need Not Be Slow, 26
  usenix, 26
PATH, 19
Path, 28, 30
performance disaster:
  NNTP, 34
POSIX, 31
postdefltdist, **24**
postdefltgroup, **24**
problems:
  AIX/370, 46
  amiga loading, 46
  article tree on multiple filesystems, 28
  articles filed in odd places, 27
  articles looping between me and a neighbour, 28
  articles propagated to odd sites, 27
  botched libraries, 47
  broken 386 optimiser, 27, 42
  broken compilers, 45, 46
  broken file systems, 46
  broken kernel, 47
  common, 27
  compiling libc/datetok.c with ANSI compiler, 28
  compress, 45
  csh, 44
  empty lines, 46
  fsync, 46
  local articles not forwarded, 27
  mail telling me to delete groups, 28
  newsdaily says I'm sending bad headers, 28
  non-standard shells, 45
  porting, 40
  queuelen, 47
  relaynews complains, history errors (File too large), 28
  renouncing setuid, 27
  restricted shells, 45
  setvbuf, 47
  shell, 44
  size_t, 44
  stdio, 41
  stdio mismatch, 27
  SunOS, 47
  ulimit, 45
  Ultrix, 47
  want to ignore newgroup messages, 28
pseudo-newsgroups, 2
PSI, 3

Q

queuelen, **17**, 47

R

Re:
  , 37
read long lines, 50
read the documentation, 27
readline, 50
readnews, 2, 32, 46
reboots, 18
recmail, 30
recnews, 30
regression testing, 4, 29
regression:
  tests, 33
relay/trbatch.c, 44
relaynews, **2**, 5, 14, **18**, 25, 27, 30, 36, 43, 44, 45, 46, 47, 48, 49
  tuning, 33
remote command execution, 17, 30
replyusepath, **24**, 30

RFC 1036, 1, 6, 26, 34
  errors, 37
RFC 1123, 26, 37
RFC 822, 6, 26, 37
  comments, 38
  mail, 16
RFC 850, 37
rmgroup, 4
rn, 2
rnews, 1, 2, 14, **17**, 32, 45
Root Boy Jim, 34
rsh, 17, 30, 45

S

S sys flag, 29
saving old control files, 32
sed, 16, 40, 47
sendbatches, 14, 17, **18**
sendsys, 43
seq, 30
server, **3**, 17, **24**, 30
setnewsids, 5, **24**, 31
setuid, 15, 24
setvbuf, 47
shell, 15, 44
  AIX/370, 46
  bash, 45
  builtins, 16
  C, 15, 44, 45
  comments, 16
  Korn, 15, 40, 45
  non-standard, 45
  restricted, 45
size_t, 44
small machines, 5
spacefor, **17**, 42
staleness, 47
standards:
  Internet Hosts Requirements, 26
  Internet message format, 26
  netnews message format, 26
stdfdopen, **50**
stdio:
  faster internals, 41, 50
stdlib.h, **51**
Steve Bourne, 15
str3save, 50
string.h, **51**
strlower, 50
strsave, 50
subst, 4, 21
Supersedes, 38
SVID, 41
sys comments, 30
sys flag:
  A, 29
  f, 29
  H, 29
  I, 29
  M, 29
  N, 29
  n, 29
  O, 29
  S, 29
sys flags, 32
sys, 2, **3**, **24**, 27, 28, 29, 31, 32, 34, 51
  distributions, 30
system dependencies, 17
System V, 31
  breakage, 28, 42, 45, 47, 52
  time, 30
system:
  test, 4, 29, 32

T

test system, 4, 29, 32
time:
  System V, 30
timeb.h, **51**
trn, 2
troubleshooting, 27
tuning:
  relaynews, 33

U

ulimit, 45
unbatcher, 33
Unix:
  4.1BSD, 51
  4.2BSD, 51
  A/UX, 41, 47
  AIX, 46
  AIX/370, 46
  Amiga System V Release 4, 46
  Bull DPX/2 B.O.S. 1.0, 46
  dependencies, 15
  HP-UX, 42, 43
  Mach, 46
  Microport, 42, 44
  Microport 386, 41
  Microport System V for the 286, 41
  Minix, 40, 41
  real, 17
  SCO Xenix, 46, 47
  SCO Xenix 2.3, 47

SCO Xenix/386 2.3, 42
spelling, 15
SunOS, 40
SunOS 4.1.1, 47
System III, 51
System V, 28, 42, 45, 47, 51, 52
System V Release 2 on the VAX, 41
Ultrix, 41, 44, 45, 47
Ultrix 3.1, 40
Unisys, 42
unoid, 43
utilities, 15, 40
V7, 17, 51
V8, 51
V9, 51
variants, 50
unprivileged, **50**
upact, 18
updatemin, 18
Usenet, **1**
userids, 3, 15, 32
UUCP, 1
uucp, 17, 47
UUNET, 3
uunet, 32
uux, 18, 32

V

VMS, 43, 48
vnews, 2
void, 41

W

wait, 40
watchtime, **24**
when in doubt, read the documentation, 27
whoami, **3**, 17, **24**, 28, 30
write, 47

X

x active flag, 30
Xref, 37

_

__STDC__, 43